

Message

From: Wu, Jennifer [Wu.Jennifer@epa.gov]
Sent: 9/11/2018 8:29:01 PM
To: Ramach, Sean [Ramach.Sean@epa.gov]
Subject: FW: [EXTERNAL] question on cooling water intakes
Attachments: 222-D-12963.tif

Here's one diagram and I'm getting you another – just have to scan it.

From: DeWinkler, Jeffery [mailto:jdewinkler@usbr.gov]
Sent: Tuesday, September 11, 2018 11:28 AM
To: Wu, Jennifer <Wu.Jennifer@epa.gov>
Cc: Horsburgh Bryan (bhorsburgh@usbr.gov) <bhorsburgh@usbr.gov>
Subject: Re: [EXTERNAL] question on cooling water intakes

Definitely the Scroll case. drawing attached

Jeff DeWinkler

Environmental Protection Specialist
US Bureau Of Reclamation GCPO
PO Box 620 Code 5400
Grand Coulee, WA 99133
(509)633-9321 wk
(509)237-9274 cell

Reclamation
Managing Water in the West



Please consider your environmental responsibility before printing this e-mail & any documents.

Quality and Convenience rarely hold hands

On Tue, Sep 11, 2018 at 10:15 AM, Wu, Jennifer <Wu.Jennifer@epa.gov> wrote:

Hi Jeff and Bryan,

As I'm preparing for tomorrow's meeting, I just wanted to make sure I was correct about where the cooling water intake is drawn from at the Grand Coulee. Is it drawn from the scroll case? Thanks!

Jenny Wu

Environmental Engineer, NPDES Permits Unit

EPA Region 10

1200 6th Avenue, Suite 155 (OWW-191)

Seattle, WA 98101

206-553-6328